



# Certificate of Analysis

Powered by Confident Cannabis

## Hemplucid

4844 N300 W, #202  
Provo, UT 84604  
(385) 203-8556

Sample: 1905DBL0057.4302

Lot #: VB-11319-B2

Ordered: 05/06/2019; Sampled: 05/08/2019; Completed: 05/15/2019

## HL-WS1500-342I

Ingestible, Tincture, CO2



### Cannabinoids

- CBC
- CBCa
- CBD
- CBDa
- CBDV
- CBDVa
- CBG
- CBGa
- CBL
- CBN
- Δ8-THC
- Δ9-THC
- THCa
- THCV
- THCVa

### Cannabinoids

**4.28**

% Total CBD

**51.73**  
**mg/mL**

Total CBD

**0.19**

% Total THC

**56.48**  
**mg/mL**

Total Cannabinoids

1 Unit = HL-WS1500-342I; Density = 1.21 g/mL; Serving size: 1 mL, 36.3g

### Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass	Mass	LOQ
	mg/unit	mg/g	mg/unit
CBC	46.071	1.269	2.060
CBCa	<LOQ	<LOQ	2.060
CBD	1552.037	42.756	2.060
CBDa	<LOQ	<LOQ	2.060
CBDV	13.035	0.359	2.060
CBDVa	<LOQ	<LOQ	2.060
CBG	14.408	0.397	2.060
CBGa	<LOQ	<LOQ	2.060
CBL	<LOQ	<LOQ	2.060
CBN	<LOQ	<LOQ	2.060
Δ8-THC	<LOQ	<LOQ	2.060
Δ9-THC	68.896	1.898	2.060
THCa	<LOQ	<LOQ	2.060
THCV	<LOQ	<LOQ	2.060
THCVa	<LOQ	<LOQ	2.060
<b>Total THC</b>	<b>68.896</b>	<b>1.898</b>	
<b>Total CBD</b>	<b>1,552.037</b>	<b>42.756</b>	
<b>Total</b>	<b>1694.447</b>	<b>46.679</b>	



*Stacy Gardalen*

Stacy Gardalen  
Quality Control

*Glen Marquez*

Glen Marquez  
Quality Control



4439 Polaris Ave  
Las Vegas, NV  
(702) 728-5180

www.dblabslv.com

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. Pesticide LOQ = Instrument Limit of Quantitation, NA = Not Analyzed, ND = Not Detected, NR = Not Reported, NT = Not Tested, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Edibles are picked up prior to final packaging unless otherwise stated. Values reported relate only to the product tested. The uncertainty of measurement associated with the measurement result reported in this certificate is available from the organization upon request. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.